

**BIDDING DOCUMENT FOR THE PROVISION OF A CONTRACTOR ON REPAIR AND
MAINTENANCE OF OPTICAL TOOLS AND TEST EQUIPMENT**
PROCUREMENT REFERENCE No: CBTD29-25



COMPETITIVE BIDDING TENDER CBTD29-25

INVITATION TO BID

**FOR THE PROVISION OF A CONTRACTOR ON REPAIR AND MAINTENANCE OF
OPTICAL TOOLS AND TEST EQUIPMENT**

Tender Closing Date: 27 February 2025

Time: 11.00am

**BIDDING DOCUMENT FOR THE PROVISION OF A CONTRACTOR ON REPAIR AND
MAINTENANCE OF OPTICAL TOOLS AND TEST EQUIPMENT**

PROCUREMENT REFERENCE No: CBTD29-25



Standard Bidding Document for the

**Procurement of: THE PROVISION OF A CONTRACTOR ON REPAIR AND
MAINTENANCE OF OPTICAL TOOLS AND TEST EQUIPMENT**

Procurement Reference No: CBTD29-25

Procuring Entity: TelOne Zimbabwe

Date of Issue:

**BIDDING DOCUMENT FOR THE PROVISION OF A CONTRACTOR ON REPAIR AND
MAINTENANCE OF OPTICAL TOOLS AND TEST EQUIPMENT**

PROCUREMENT REFERENCE NO: CBTD29-25

Table of Contents

Part 1: Bidding Procedures

Part 2: Statement of Requirements

Part 3: Draft Contract

BIDDING DOCUMENT FOR THE PROVISION OF A CONTRACTOR ON REPAIR AND MAINTENANCE OF OPTICAL TOOLS AND TEST EQUIPMENT

PROCUREMENT REFERENCE NO: CBTD29-25

PART 1 BIDDING PROCEDURES

PART 1: BIDDING PROCEDURES

Procurement Reference Number: CBTD29-25

Preparation of Bids

You are requested to bid for the provision of a contractor on repair and maintenance of optical tools and test equipment Requirements below, by completing and returning the following documentation:

1. Completed and signed Bid Submission Sheet in this Part;
2. the Statement of Requirements in Part 2;
3. Bid validity period of 60 days (bidders should state)
4. Bidders must have provided goods to at least 3 companies (traceable reference letters from each company required)
5. At least three written reference letters (in the form of official letters from client companies) for supply and delivery of related goods.
6. Completed and signed bid securing declaration in the format specified in Annex F
7. *Bidders are required to submit samples or technical brochures*
8. A copy of
 - i. *Current Tax Clearance Certificate*
 - ii. *CR6 showing Company Directors*
 - iii. *Certificate of Incorporation or equivalent registration in the country of residence*
 - iv. *Authorization letter from the original equipment manufacturer.*
 - v. *Repair service center certificate issued by the original equipment manufacturer.*
9. *The tender should have a table of contents with marked pages.*

You are advised to carefully read the complete Bidding Document, before preparing your Bid.

The standard forms in this document may be retyped for completion but the Bidder is responsible for their accurate reproduction. All pages of the Bid must be clearly marked with the Procurement Reference Number above and the Bidder's name and any reference number.

Number of bids allowed

No Bidder may submit more than one bid, either individually or as a joint venture partner in another Bid, except as a subcontractor. Where the procurement is divided into lots and packages, only one Bid can be submitted. A conflict of interest will be deemed to arise if bids are received from more than one Bidder owned, directly or indirectly, by the same person.

Clarification

Clarification of the bidding document may be requested in writing by any Bidder before 24 February 2025 and should be sent to The Procurement Head, TelOne P O Box Y331Causeway, Harare Zimbabwe Fax: 263 – 242 – 2795499

Email- learnmore.gwite@telone.co.zw ; caroline.chikukutu@telone.co.zw: and cladios.chenga@telone.co.zw

BIDDING DOCUMENT FOR THE PROVISION OF A CONTRACTOR ON REPAIR AND MAINTENANCE OF OPTICAL TOOLS AND TEST EQUIPMENT

PROCUREMENT REFERENCE NO: CBTD29-25

PART 1 BIDDING PROCEDURES

Validity of Bids

The minimum period for which the Bidder's bid must remain valid is 60 days from the deadline for the submission of bids.

Submission of Bids

- a) Bids must be submitted in writing in a sealed envelope to the address below, no later than the date and time of the deadline below. It is the Bidder's responsibility to ensure that they receive a receipt confirming submission of their bid that has correct details of the Bidder and the number of the Bid.
- b) The Bidder must mark the envelope with the Bidder's name and address and the Procurement Reference Number.
- c) The bidder must submit one (1) original and two (2) copies of the tender document clearly marked as "original" and "copy". In the event of any discrepancy between them, the original shall govern. The original and all copies of the tender shall be typed or written in indelible ink and shall be signed by the bidder or a person/persons duly authorized to bind the bidder to the contract.

Late bids will be rejected. The Procuring Entity reserves the right to extend the bid submission deadline but will notify all potential bidders who have collected the bidding documents of the amended bid submission deadline.

Date of deadline: 27 February 2025 **Deadline Time:** 11.00hrs

Submission address: The Procurement Head,
Tel-One,
8th Floor,
Runhare House, South Wing
107 Kwame Nkrumah Ave
HARARE, ZIMBABWE

Means of acceptance: The tender shall be enclosed in an envelope which shall be sealed and marked on the outside with the advertised tender number, description, closing date and time and must be hand delivered to the above stated address. Tender submission by Tele-fax/email shall not be accepted save for issue of queries.

Bid opening

Bidders and their representatives may witness the opening of bids, which will take place via ZOOM meeting on the date of submission. The link can be requested on the following email: procurement@telone.co.zw

Withdrawal, amendment or modification of Bids

A Bidder may withdraw, substitute, or modify its Bid after it has been submitted by sending a written notice, duly signed by an authorized representative. However, no Bid may be withdrawn, substituted, or modified in the interval between the deadline for submission of Bids and the expiration of the period of Bid validity specified by the Bidder or any extension of that period.

BIDDING DOCUMENT FOR THE PROVISION OF A CONTRACTOR ON REPAIR AND MAINTENANCE OF OPTICAL TOOLS AND TEST EQUIPMENT

PROCUREMENT REFERENCE NO: CBTD29-25

PART 1 BIDDING PROCEDURES

Delivery Requirements

The delivery period required (from the date of contract signing) and the final destination for delivery are as indicated in the Delivery Schedule in Part 2.

Bid Prices and Discounts

The prices and discounts quoted by the Bidder in the Bid Submission Form and in the Price Schedules must conform to the requirements specified below.

Prices must be quoted as specified in the Price Schedule included in Part 2 Statement of Requirements. In quoting prices, the Bidder is free to use transportation through carriers registered in any eligible country and similarly may obtain insurance services from any eligible country. Prices quoted must include the following costs and components:

- (a) For the goods
 - (i) the price of the goods and the cost of delivery to the final destination, including the relevant INCOTERM, as stated in the Delivery Schedule;
 - (ii) the custom duties to be paid on the goods on entry in Zimbabwe, if not already included;
 - (iii) Any other applicable import taxes;
 - (iv) any sales and other taxes due within Zimbabwe which will be payable on the goods, if not already included;
 - (v) Any rebate or mark-up of the local agent or representative.
- (b) for Related goods, (other than inland transportation and other services required to convey the Goods to their final destination), whenever such Related goods are specified in the Schedule of Requirements:

The price of each item comprising the Related goods (inclusive of any applicable taxes).

Evaluation of Bids

Bids will be evaluated using the following methodology:

1. Preliminary evaluation the preliminary evaluation shall consider bidders' compliance with requirements by submitting the following mandatory requirements

Preliminary Tender Requirements	Bidder Compliance C – Compliant NC – Non-Compliant
Completed and signed Bid Submission Sheet in this Part;	
Completed Statement of Requirements in Part 2;	
Bid validity period of 60 days (bidders should state)	
At least three written reference letters (in the form of official letters from client companies) for the repairs and maintenance of similar work	
Completed and signed bid securing declaration in the format specified in Annex F	
<i>A copy of Current Tax Clearance Certificate</i>	
<i>A copy of CR6 showing Company Directors</i>	

BIDDING DOCUMENT FOR THE PROVISION OF A CONTRACTOR ON REPAIR AND MAINTENANCE OF OPTICAL TOOLS AND TEST EQUIPMENT

PROCUREMENT REFERENCE NO: CBTD29-25

PART 1 BIDDING PROCEDURES

<i>A copy of Certificate of Incorporation or equivalent registration in the country of residence</i>	
<i>Authorization letter from original equipment manufacturer</i>	
<i>Repair service center certificate issue by the original equipment manufacturer</i>	
<i>Mandatory Site visit (Site visit will be held at Telone Main Exchange Cnr Samora and Second street) Date 24/02/2025 Time 09.00am</i>	

Bidders with outstanding deliveries for similar requirements may not be considered for this tender.

FAILURE TO COMPLY WITH ANY OF THE ABOVE REQUIREMENTS WILL LEAD TO AUTOMATIC DISQUALIFICATION

2. Technical evaluation

The Technical Specifications Sheet details the minimum specification of the Goods required. The goods offered must meet this specification, but no credit will be given for exceeding the specification. The technical evaluation shall consider bidder's compliance with the technical specifications of the tender given below. The technical specifications of the project are broken down into technical components ALL of which must be complied with.

The delivery period required is measured from the date of the signing of the Contract between the Procuring Entity and the Bidder.

3. Financial evaluation and comparison to determine the evaluated price of bids and to determine the lowest evaluated bid.

Bids failing any stage will be eliminated and not considered in subsequent stages.

Evaluation criteria

The Procuring Entity's evaluation of a Bid will take into account, in addition to the Bid Price, the following criteria and methodologies.

- Delivery schedule:** The specified Goods are required to be delivered by the date indicated in the Delivery Schedule in Part 2. If the delivery period offered differs from the requirements in the schedule, bidder must state in their bid.
- Deviation in payment schedule:** The payment schedule is stated in the contract. A Bidder may propose a deviation from the schedule and if the deviation is considered acceptable to the Procuring Entity, the Bid will be evaluated by calculating interest earned for any earlier payments involved in the terms outlined in the Bid as compared with those stipulated in the SCC, at the rate of interest indicated by the Reserve Bank of Zimbabwe on the closing date for submission of bids.
- Cost of major replacement components, mandatory spare parts, and service:**
Bidders must state the unit prices for these items. The total cost of these items and quantities will be added to the Bid price, for evaluation purposes only.
- Life Cycle Costs:** An adjustment to take into account the additional life cycle costs for the period specified below, such as the operating and maintenance costs of the Goods, including the cost to the Procuring Entity of establishing the minimum service facilities and parts inventories if not available in Zimbabwe, will be added to the Bid price for evaluation purposes only. The adjustment will be evaluated in accordance with the methodology

BIDDING DOCUMENT FOR THE PROVISION OF A CONTRACTOR ON REPAIR AND MAINTENANCE OF OPTICAL TOOLS AND TEST EQUIPMENT

PROCUREMENT REFERENCE NO: CBTD29-25

PART 1 BIDDING PROCEDURES

specified below and the following information:

A margin of preference, in accordance with the procedures outlined in section 8 of the Regulations,

BIDDING DOCUMENT FOR THE PROVISION OF A CONTRACTOR ON REPAIR AND MAINTENANCE OF OPTICAL TOOLS AND TEST EQUIPMENT

PROCUREMENT REFERENCE NO: CBTD29-25

PART 1 BIDDING PROCEDURES

- (e) **Provision of a contractor on repair and maintenance of optical tools and test equipment:**
Bidders must have traceable proof of experience in a similar project.

Eligibility and Qualification Criteria

Bidder is required to meet these criteria to be eligible to participate in public procurement and to be qualified for the proposed contract. They must therefore provide any available documentation and certify their eligibility in the Bid Submission Sheet. To be eligible, Bidder must

1. have the legal capacity to enter into a contract;
2. not be insolvent, in receivership, bankrupt or being wound up, not have had business activities suspended and not be the subject of legal proceedings for any of these circumstances;
3. have fulfilled their obligations to pay taxes and social security contributions in Zimbabwe;
4. not have a conflict of interest in relation to this procurement requirement, and
5. not be debarred from participation in public procurement;

Origin of Goods

All Goods and related services must have as their country of origin an eligible country, as specified in the Contract.

Technical Criteria

The Technical Specifications Sheet details the minimum specification of the goods required. The goods offered must meet this specification, but no credit will be given for exceeding the specification. Marking criteria: Bids MUST be fully compliant with each item specification.

Currency

Bidders should quote in US\$ Payable in ZWG

Award of Contract

The lowest evaluated bid to specification after application of any additional evaluation criteria, including any margin of preference, which is substantially responsive to the requirements of this bidding document will be recommended for award of contract. The proposed award of contract will be by issue of a Notification of Contract Award which will be effective until signature of the contract documents. Unsuccessful Bidders will receive the Notification of Contract Award.

Right to Reject

The Procuring Entity reserves the right to accept or reject any Bids or to cancel the procurement process and reject all Bids at any time prior to contract award.

BIDDING DOCUMENT FOR THE PROVISION OF A CONTRACTOR ON REPAIR AND MAINTENANCE OF OPTICAL TOOLS AND TEST EQUIPMENT

PROCUREMENT REFERENCE NO: CBTD29-25

PART 1 BIDDING PROCEDURES

Corrupt Practices

The Government of Zimbabwe requires that Procuring Entities, as well as Bidders and Contractors, observe the highest standard of ethics during the procurement and execution of contracts. In pursuit of this policy:

1. the Procuring Entity will reject a recommendation for award if it determines that the Bidder recommended for award has, directly or through an agent, engaged in corrupt, fraudulent, collusive or coercive practices in competing for the Contract or been declared ineligible to be awarded a procurement contract;
2. any conflict of interest on the part of the Bidder must be declared.

BIDDING DOCUMENT FOR THE PROVISION OF A CONTRACTOR ON REPAIR AND MAINTENANCE OF OPTICAL TOOLS AND TEST EQUIPMENT

PROCUREMENT REFERENCE NO: CBTD29-25

PART 1 BIDDING PROCEDURES

**Annex A
Bid Submission Sheet**

{Note to Bidders: Complete this form with all the requested details and submit it as the first page of your Bid. Attach the completed Statement of Requirements and any other documents requested in Part 1. Ensure that your Bid is authorised in the signature block below. A signature and authorisation on this form will confirm that the terms and conditions of this Bid prevail over any attachments. If your Bid is not authorised, it may be rejected. If the Bidder is a Joint Venture (JV), the Bid must be signed by an authorized representative of the JV on behalf of the JV, and so as to be legally binding on all the members as evidenced by a power of attorney signed by their legally authorized representatives.

Bidders must mark as "CONFIDENTIAL" information in their Bids which is confidential to their business. This may include proprietary information, trade secrets or commercial or financially sensitive information}.

Procurement Reference Number:	CBTD29-25
Subject of Procurement:	
Name of Bidder:	
Bidder's Reference Number:	
Date of Bid:	

We offer to supply the items listed in the attached Statement of Requirements, at the prices indicated on the attached Price Schedule and in accordance with the terms and conditions stated in your Bidding Document referenced above.

We confirm that we meet the eligibility criteria specified in Part 1: Procedures of Bidding.

We declare that we are not debarred from bidding and that the documents we submit are true and correct.

The validity period of our bid is: {Days} from the date of submission.

We confirm that the prices quoted in the attached Price Schedule are fixed and firm for the duration of the validity period and will not be subject to revision, variation or adjustment.

Bid Authorised by:

Signature	Name:
Position:	Date: (DD/MM/YY)
Authorised for and on behalf of:	
Company	
Address:	
.....	

BIDDING DOCUMENT FOR THE PROVISION OF A CONTRACTOR ON REPAIR AND MAINTENANCE OF OPTICAL TOOLS AND TEST EQUIPMENT

PROCUREMENT REFERENCE NO: CBTD29-25

PART 3 CONTRACT

ANNEX B

PART 2: STATEMENT OF REQUIREMENTS

Name of Bidder:

Bidder's Reference Number:

List of Items and Price Schedule

CURRENCY OF BID: US\$

Item No¹	Description of goods	Quantity²	Unit Price³	Total Price⁴
			<i>[to be provided by the Bidder]</i>	<i>[to be provided by the Bidder]</i>
	For the provision of a contractor on repair and maintenance of optical tools and test equipment			
1	Splicing machines	67		
2	OTDRs	24		
3	Power Meters	3		
4	EXFO FTB-1 (modular Optical Test Platform	1		
5	Cleavers: Replacing worn-cut blades, and fixing minor mechanical problems.	11		
	VAT			
	Total			

NB: TelOne reserves the right to alter quantities

- 1. PLEASE STATE IF THE PRICE INCLUDES OR EXCLUDES VAT. UNLESS OTHERWISE STATED PRICES WILL BE TAKEN TO INCLUDE VAT**
- 2. BIDDERS SHOULD STATE PAYMENT TERMS**

BIDDING DOCUMENT FOR THE PROVISION OF A CONTRACTOR ON REPAIR AND MAINTENANCE OF OPTICAL TOOLS AND TEST EQUIPMENT

PROCUREMENT REFERENCE NO: CBTD29-25

PART 3 CONTRACT

Annex C

Delivery Schedule

Name of Bidder:

Bidder's Reference Number: CBTD29-25

Item No	Description of goods	Delivery period required by Procuring entity	Delivery period
			<i>[to be provided by the Bidder]</i>
1.	PROVISION OF A CONTRACTOR ON REPAIR AND MAINTENANCE OF OPTICAL TOOLS AND TEST EQUIPMENT	30 days	
2.	Splicing machines	30 days	
3.	OTDRs	30 days	
4.	Power Meters	30 days	
5.	EXFO FTB-1 (modular Optical Test Platform	30 days	
6.	Cleavers: Replacing worn- cut blades, and fixing minor mechanical problems.	30 days	
7.	Splicing machines	30 days	

BIDDING DOCUMENT FOR THE PROVISION OF A CONTRACTOR ON REPAIR AND MAINTENANCE OF OPTICAL TOOLS AND TEST EQUIPMENT

PROCUREMENT REFERENCE NO: CBTD29-25

PART 3 CONTRACT

Annex D

Technical Specification and Compliance Sheet

Detailed specification attached on Annexure G

ITEM	DESCRIPTION	QUANTITY
1	THE PROVISION OF A CONTRACTOR ON REPAIR AND MAINTENANCE OF OPTICAL TOOLS AND TEST EQUIPMENT	

- 1) Comprehensive Fault Diagnosis: Bidders must conduct a thorough examination of each machine, including its accessories, to identify all faults, even those not previously detected by users.
- 2) High-Quality Repairs: Repairs must be performed by skilled technicians using high-quality components and adhering to manufacturer specifications.
- 3) Complete Overhaul: Successful bidders must troubleshoot, repair, calibrate, and replace all faulty components to restore full functionality.
- 4) Calibration and Maintenance: Each repaired machine must be calibrated and maintained to ensure accurate and reliable performance. For splicing machines, electrode replacement is required for machines with excess of 3000 splice counts.
- 5) Timely Delivery: Repaired machines must be returned to TelOne in the shortest possible time frame.
- 6) Rigorous Testing: All repaired units must undergo thorough testing to verify their proper operation.
- 7) User Confirmation: End-users must confirm the successful repair and functionality of each machine within 96 hours of receipt.
- 8) Detailed Repair Reports: Bidders must provide detailed repair reports for each machine, including but not limited a list of replaced components. Photographs and repair logs, should be maintained for each machine outlining the specific procedures undertaken.
- 9) Faulty components from repaired machines must be returned to TelOne.
- 10) No Unauthorized Component Removal: No components should be removed from one machine to repair another without explicit written authorization from TelOne.
- 11) Strict Adherence to Manufacturer Guidelines: All repair and calibration procedures must strictly follow the manufacturer's guidelines and specifications.

- 12) Workshop inspection: One of the mandatory requirements is to allow for a workshop inspection on the designated Company site as part of the tender evaluation criteria.
- 13) Machine Inspection: Attend to and inspect all the machines on a scheduled date at Tel One NOC offices prior to submitting bids

Declaration by the Accounting Officer

I declare that the procurement is based on fair technical requirements and bidder qualifications.

PP 

BIDDING DOCUMENT FOR THE PROVISION OF A CONTRACTOR ON REPAIR AND MAINTENANCE OF OPTICAL TOOLS AND TEST EQUIPMENT

PROCUREMENT REFERENCE NO: CBTD29-25

PART 3 CONTRACT

Annex E

General Conditions of Contract

Any resulting contract is subject to the Zimbabwe General Conditions of Contract (GCC) for the Procurement of Goods except where modified by the Special Conditions below.

Special Conditions of Contract

Procurement Reference Number: CBTD29-25

Reference	Special Conditions
1.	Eligible Countries: Goods from all countries are eligible.
2	Notices: Any notice shall be sent to the following addresses: For the Procuring Entity, the address shall be as given in the Contract document and the contact shall be at TelOne Runhare House, 107 Kwame Nkrumah Harare, 8 th Floor. For the Contractor, the address shall be as given in the Bid and the contact shall be {state name of contact}
3	Liquidated Damages: Liquidated Damages in terms of section 88 of the Act shall apply. In the case of delays in the delivery of Goods, the Contractor will be liable to pay damages of 0.5% of contract price per week of delay up to a maximum of 10% of contract value. If 10% is exceeded, the contract may be cancelled NB. The contractor will not be charged liquidated damages when the delay in delivery or performance is beyond the contractor's control and is not caused by fault or negligence on the part of the contractor.
4	Packing, Marking and Documentation: The goods shall meet the following special packing requirements: Items should be wrapped to secure against damages either in cardboard boxes or any reasonable package
5	Insurance: The Goods shall be fully insured until full delivery is accepted.
6	Inspections and tests: The Purchaser shall have the right at any time to inspect work being undertaken in terms of this contract and to reject such work if it is found to be defective or inferior in quality or in non-compliance to the specifications of the Contract. Should any work be so rejected, then the contractor, shall replace or make goods to the satisfaction of the Purchaser, at his own expense, without alteration to any of the Contractor's liabilities and obligations under the contract.

BIDDING DOCUMENT FOR THE PROVISION OF A CONTRACTOR ON REPAIR AND MAINTENANCE OF OPTICAL TOOLS AND TEST EQUIPMENT

PROCUREMENT REFERENCE NO: CBTD29-25

PART 3 CONTRACT

Reference	Special Conditions
	<p>Before proceeding to execute any work, the contractor shall, if so requested, obtain the Purchaser's approval of the manner in which the Contractor proposes to carry out any part of the work and shall furnish any drawing or information the purchaser shall require.</p> <p>The Contractor shall afford the Purchaser all reasonable facilities as may be required to carry out inspections. Any work rejected by the Purchaser shall be marked or segregated in a manner satisfactory to the Purchaser to ensure its identification as rejected work.</p>
7.0	Performance security: The Contractor shall provide a performance security of 10% of the Contract Price. The performance security shall be denominated in the currency of the Contract and issued by a Bank located in Zimbabwe or a foreign Bank through correspondence with a Bank located in Zimbabwe or from another financial institution acceptable to the Procuring Entity.
7.1	Reduction of performance security: Performance security will not be deducted until full delivery.
8.	Warranty: The period of the warranty shall be 12 months.
9.	Failure to remedy a defect: The period allowed to the Contractor to remedy a defect during the period of the Warranty shall be 1 month
10.	Price adjustments: Any price adjustments will be upon agreement by both parties.
11.	Terms of Payment: The structure of payments shall be: 30days

BIDDING DOCUMENT FOR THE PROVISION OF A CONTRACTOR ON REPAIR AND MAINTENANCE OF OPTICAL TOOLS AND TEST EQUIPMENT

PROCUREMENT REFERENCE NO: CBTD29-25

PART 3 CONTRACT

Annex F

Bid securing declaration

{The Bidder must fill in this Form in accordance with the instructions indicated, where it has been stated in the Bidding Procedures that a Bid-Securing Declaration is a requirement of bidding}.

Procurement Reference number: CBTD29-25

Date:[date (in day, month and year format)]

Bidder's Reference Number :

To: *{full name of Procuring Entity}*

We, the undersigned, declare that:

We understand that, according to the terms and conditions of your bidding documents, bids must be supported by a Bid-Securing Declaration.

We accept that we may be debarred from bidding for any framework agreement with a Procuring Entity in Zimbabwe for a period of time to be determined by the Authority, if we are in breach of our obligation(s) under the bidding conditions, because:

- (a) we have withdrawn our Bid during the period of Bid validity; or
- (b) having been notified of the acceptance of our Bid by the Procuring Entity during the period of bid validity, we fail or refuse to execute the framework agreement.

We understand this Bid Securing Declaration will expire if we are not the successful Bidder, either when we receive your notification to us of the name of the successful Bidder, or twenty-eight days after the expiration of our Bid, whichever is the earlier.

Signed	Name:
In capacity of:	Date: (DD/MM/Y Y)
Duly authorised for and on behalf of:	
Company	
Address:	
.....	
Corporate Seal (where appropriate)	

{Note: In case of a Joint Venture, the Bid Securing Declaration must be in the name of all the partners to the Joint Venture that submits the Bid.

BIDDING DOCUMENT FOR THE PROVISION OF A CONTRACTOR ON REPAIR AND MAINTENANCE OF OPTICAL TOOLS AND TEST EQUIPMENT

PROCUREMENT REFERENCE NO: CBTD29-25

PART 3 CONTRACT

Annex G

Detailed specification

Itemized List of Faulty Machines

Count	Tool/Test equipment	Brand	Model	Serial Number	Station of location	Nature of fault
1	Splicing machine	Fujikura	90S+	FV4SD277KPRLDKPJ	Northend (Sent to NM)	Failing to align fibers after loading
2	Splicing machine	Fujikura	90S+	MHGY3PGBJD4KWPWY	Northend (Sent to NM)	Service and electrodes replacement
3	Splicing machine	Fujikura	90S+	NXRBFWEBJF40X4JF'	Bulawayo CBD	Broken data belt
4	Splicing machine	Fujikura	90S+	MHGY3PGBJD4KWPWY	Gwanda	Service and electrodes replacement
5	Splicing Machine	Fujikura	90s+	A2TSBJAKJ8K1X6Z3	Kuwadzana	Service and electrodes replacement
6	Splicing machine	Fujikura	90S+	ADKDITAP5HSTXCRY	Bulawayo CBD	heater fault & motor overrun alarm
7	Splicing machine	Fujikura	90S+	NXRBFWEBJF40X4JF'	Bellevue	Broken data belt
8	Splicing machine	Fujikura	90S+	MFKL15FCRSJSNH54	Bindura	Service and electrodes replacement
9	Splicing Machine	Fujikura	90S+	L4JNKGAGTHK5D9FE	Marondera	Service and electrodes replacement
10	Splicing Machine	Fugikura	90s+	WSDP7S36V1HJB852	Southerton	Service and electrodes replacement
11	Splicing Machine	Fujikura	90S+	WSX7PZVNVF95DSWA	Borrowdale	Service and electrodes replacement
12	Splicing machine	Fujikura	90S	2CY194HPSDH8NRTA	Not stated	Service and electrodes replacement
13	Splicing Machine	Fujikura	90S	XLP65605C3ZAXL4D	Warren Park	Service and electrodes replacement
14	Splicing machine	Fujikura	90S	_12090	Not Specified	Service and electrodes

BIDDING DOCUMENT FOR THE PROVISION OF A CONTRACTOR ON REPAIR AND MAINTENANCE OF OPTICAL TOOLS AND TEST EQUIPMENT

PROCUREMENT REFERENCE NO: CBTD29-25

PART 3 CONTRACT

						replacement
15	Splicing machine	Fujikura	90S	DD0ZGAWGE9VRXNYF	Gweru	Service and electrodes replacement
16	Splicing Machine	Fujikura	90S	XSL7C88XTK7RLKLZ	Harare Main Epton	Service and electrodes replacement
17	Splicing Machine	Fujukura	90S	ZLREWLLW6K6SYD261	Glenview	Does not align fibres
18	Splicing machine	Fujikura	90S	AJSSDJACR8R	Hatfield	No heating , needs servicing
19	Splicing Machine	Fujikura	90S	Z54D7X2ZSFC5DSX7	Avondale RLU's	Not Working
20	Splicing Machine	Fujikura	90S	HJLC4K0I237XDMB3	Avondale RLU's	Not Working
21	Splicing Machine	Fujikura	90S	YWFCXBB7J7BLX1K5	Avondale RLU's	Not working
22	Splicing Machine	Fujikura	90S	S30T5ATX4ZEDWANK	Avondale Host	Electrode not moving
23	Splicing machine	Fujikura	90S	FVN8ZV8S53FFDVVJ	Harare Carriers	Service and electrodes replacement
24	Splicing machine	Fujikura	90S	NTNH7BL6JGHJLDTA	Southerton	Service and electrodes replacement
25	Splicing Machine	Fujikura	80S	OH7WRM4W6X28YZL4	Harare Main Epton	Service and electrodes replacement
26	Splicing machine	Fujikura	80S	LL8K2KJJ4PZ3LXH1	Avondale Host	Service and electrodes replacement
27	Splicing Machine	Fujikura	80S	XLP65605C3ZAXL4D14B3	not specified	Service and electrodes replacement
28	Splicing machine	Fujikura	80S	LL8K2KJJ4PZ3LXH1	Avondale	Service and electrodes replacement
29	Splicing Machine	Fujikura	70S	T3KGTDKSOWYBYJFK	Harare Main Epton	Service and electrodes replacement
30	Splicing Machine	Fujikura	70S	88Z5BFGYT26BYFLB	Harare Main Epton	Service and electrodes replacement
31	Splicing machine	Fujikura	70S	DJBSBAMLTMGWXW58	Gweru	Service and electrodes replacement

BIDDING DOCUMENT FOR THE PROVISION OF A CONTRACTOR ON REPAIR AND MAINTENANCE OF OPTICAL TOOLS AND TEST EQUIPMENT

PROCUREMENT REFERENCE NO: CBTD29-25

PART 3 CONTRACT

32	Splicing machine	Fujikura	70S	40SOEBHPJ2PBWTGB	NOC	Service and electrodes replacement
33	Splicing machine	Fujikura	70S	XSJ9P90XMC92L96	Masvingo	Service and electrodes replacement
34	Splicing Machine	Fujikura	70S	ADJSSTENS3CLD9YP	Kariba	Service and electrodes replacement
35	Splicing machine	Fujikura	70S	6RYW6YCVKYMSN29A	Mutare Access	Repair of LCD, Oven and service
36	Splicing machine	Fujikura	70S	DLA4L165T74LLSXR	Gweru	Batt Replacement and service
37	Splicing Machine	Fujikura	70S	7YR7R4JZ01NTXKBF	Hwange	New battery required and service
38	Splicing machine	Fujikura	70S	68NTSW9COZ87NFJL	Harare Carriers	Service and electrodes replacement
39	Splicing Machine	Fugikura	70S	YXGPMSVDS10X5ST	Norton	X-Motor 7 Error and Splice Error,
40	Splicing Machine	Fujikura	70S+	HY7DA37A45FTLLEN	Borrowdale	Cracked Screen, Electrode /X-Motor
41	Splicing machine	Fujikura	70S+	WEYSS5EZ586XL9L8	Gweru	Service and electrodes replacement
42	Splicing Machine	Fujukura	70S	6KTACBH6JY3EZZCM	Mutare	Showing Wrong readings
43	Splicing machine	Fujikura	70S	A5NZK2EVSKCJLNZZ	not specified	OOO/Screen not switching on
44	Splicing Machine	Fujikura	70S	EG53CD1PJYPVZN8M	ABM Harare North	Failing to align fibres and service
45	Splicing Machine	Fujukura	70S	ZVYVSX6ES76XB9W8	Chitungwiza	Heater not opening
46	Splicing Machine	Fujikura	70S	6MSRSSX88L3BZ75L	Ruwa	Service and electrodes replacement
47	Splicing Machine	Fujukura	70S	15BNP02J4HG2B6H7	Glenview	Faulty Oven & Arc error and service
48	Splicing Machine	Fujukura	70S	ABHS2TZ8S3JWLBMX	Glenview	Not splicing- Needs Service
49	Splicing Machine	Fujikura	70S	BTJ9P6VL6R92X4D6	Avondale Host	Service and electrodes replacement

BIDDING DOCUMENT FOR THE PROVISION OF A CONTRACTOR ON REPAIR AND MAINTENANCE OF OPTICAL TOOLS AND TEST EQUIPMENT

PROCUREMENT REFERENCE NO: CBTD29-25

PART 3 CONTRACT

50	Splicing Machine	Fujikura	70S	ZDRPG4BK0HBTX5VT	Avondale Host	Service and electrodes replacement
51	Splicing Machine	Fujikura	70S	B4JHHPOXTG70XF8E	Avondale Host	Service and electrodes replacement
52	Splicing Machine	Fujikura	70S	AVSKEZP6863XX7ML	JNW RLUs	Service and electrodes replacement
53	Splicing Machine	Fujikura	70S	ZVYVSX6ES76XB9W8	Avondale Host	Service and electrodes replacement
54	Splicing Machine	Fujikura	70S	7YR7R4JZ01NTXKBF	Hwange	Service and electrodes replacement
55	Splicing Machine	Fujikura	70S	09PXAG4L4DEVWKBF	NMC	Service and electrodes replacement
56	Splicing Machine	Fujikura	FSM-60S	22320	Victoria Falls	Not splicing. Battery faulty
57	Splicing machine	Fujikura	FSM-60S	_10312	Chipinge	Service and electrodes replacement
58	Splicing Machine	Sumitomo	MTS400	881B9917E7E	Highlands Host	Not splicing- requires Service
59	Splicing Machine	Sumitomo	Type 72C	_744922717007	Chiredzi	Service and electrodes replacement
60	Splicing Machine	Sumitomo	Type 72C	_744922919019	Southerton	Motor & electrodes replacement
61	Splicing machine	Sumitomo	Type 72C	744922717005	Bellevue	Service and electrodes replacement
62	Splicing machine	Sumitomo	Type 72C	_744922919015	Kadoma	Service and electrodes replacement
63	Splicing Machine	Sumitomo	TYPE-72C	_744922919015	Ruwa	Service and electrodes replacement
64	Splicing Machine	DCM	TYPE-39	_27632	Tsholotsho	Service and battery replacement
65	Splicing Machine	Fiber Fox	Mini 5C+	5C+12108018	JNW RLUs	Connector problem and service

BIDDING DOCUMENT FOR THE PROVISION OF A CONTRACTOR ON REPAIR AND MAINTENANCE OF OPTICAL TOOLS AND TEST EQUIPMENT

PROCUREMENT REFERENCE NO: CBTD29-25

PART 3 CONTRACT

66	Splicing machine	FIBERFOX	MINI 5C+	_07205005	Bindura	Service and repair
67	Splicing Machine	FIBRE FOX	MINI 5C+	5C+07205032	Avondale RLU's	Service and repair
68	OTDR	VIAVI	MTS 4000	1086/EBA05740	JNW Host	Service and repair
69	OTDR	VIAVI	MTS 4000	1093/EBA05799	Southerton	Service and repair
70	OTDR	VIAVI	MTS 4000	_1090	Bulawayo CBD	Not measuring, Service and repair
71	OTDR	VIAVI	MTS 6000	MTS6KB5100025/12076M	Harare Carriers	Battery replacement and service
72	OTDR	VIAVI	MTS 6000	MTS6KB5100041/12090M	Kariba	Battery replacement and service
73	OTDR	Viavi	VIVMTS 4000	EBAH05798	Hatfield	Not working, requires service
74	OTDR	VIAVI	MTS 4000	_1090	Northend (Sent to NM)	Service and repair
75	OTDR	Baudcom	BD6000-3103	BMG00569	Avondale Host	Battery Faulty and service
76	OTDR	Baudcom	BD6000	BML00383	Chinhoyi	Broken screen
77	OTDR	Baudcom	BD6000-3103	BMG00508	Avondale Host	Cracked LCD
78	OTDR	EXFO	MaxTester	_1212418	Mutare	Not Measuring
79	OTDR	EXFO	Max-715B-M1	_787428	Rusape	Touchscreen not responding
80	OTDR	EXFO	MaxTester	not submitted	Triangle	Screen cracked
81	OTDR	EXFO Max Tester	MTS 4000 715B	_787438	Harare Carriers	Not measuring
82	OTDR	EXFO Max Tester	MTS 4001 710C	_1516567	Harare Carriers	Not measuring
83	OTDR	EXFO	MAX-715B	_1212419	Bulawayo Txn	Power meter faulty
84	Modular optical test platform.	EXFO	FTB-1	_961586	NOC	Cracked Screen
85	OTDR	EXFO	MAX-715B	_1212419	Bulawayo Transmission	Power meter faulty
86	OTDR	EXFO	MaxTester	_783413	Norton	Screen not responding
87	OTDR	EXFO	n/a	_1366485	JNW RLU's	Calibration
88	OTDR	EXFO	MaxTester	_1477653	Avondale	Losing Settings

BIDDING DOCUMENT FOR THE PROVISION OF A CONTRACTOR ON REPAIR AND MAINTENANCE OF OPTICAL TOOLS AND TEST EQUIPMENT

PROCUREMENT REFERENCE NO: CBTD29-25

PART 3 CONTRACT

					Host	
89	OTDR	EXFO MaxTester	EXFO	_1212448	Northend (Sent to NMC)	Not measuring
90	OTDR	EXFO	MaxTester	_1366487	Chitungwiza	Not measuring
91	OTDR	EXFO	MAX- 715B-M	_787452	Karoi	Not measuring
92	OTDR	NEXUS	BD6000	BML00383	Chinhoyi	Not measuring
93	OTDR	AFL	FS200- 300C-A	2J13WD10611	Warren Park	not working
94	Power Meter	Pro's Kit	MT-7615	erased	Gutu	Not functioning
95	Power Meter	Proskit	_7616	N/A	Avondale RLUs	No Light Source
96	Power Meter	Proskit	MT-7616	Nil	Warren park	not turning on

Other Accessories

Count	Tool/Test equipmen	Brand	Model	Serial Number	Station of location	Nature of fault
1	Cleaver	Fujikura	CT30	_253063	Mutare	New Cleaver is required
2	Cleaver	Fujikura	CT-05	Not visible	Hwange	Needs servicing
3	Cleaver	Sumitomi	FC-6S	n/a	Triangle	Malfunctioning
4	Cleaver	Fujikura	CT-30	Not visible	Victoria Falls	Not cleaving
5	Cleaver	Fujikura	MCT5V	Nil	Hatfield	Not cutting well
6	Cleaver	Fujikura	CT50	_10416387	Glenview	Cleaver blund
7	2 Cleavers	unknown	unknown	n/a	Southerton	Unable to cut
8	2 Cleavers	unknown	unknown	n/a	Warren park	Unable to cut
9	2 Cleavers	unknown	unknown	N/A	Norton	Unable to cut
10	Cleaver	Fujikura	CT-30		Not visible	Not cleaving
11	Light Source	Fiber fox	Mini 5C+	5C+12108018	JNW RLUs	Not working